


Troy, 4 star
Design Marcel Wanders, 2013/2014

Chair on 4 star base with seat in polypropylene.

Frame in steel tube chromed or cataphoretically-treated and painted in polyester powder. Complete with felt pads.




9401.79.00 | 0,243 m³ | 12,00 kg

Art. nr.	Frame in steel tube	Seat in polypropylene
SD3330	chromed	colours
SD3332	painted white or black	colours

Chair on 4 star base with seat in beech plywood.

Frame in steel tube chromed or painted in polyester powder. Complete with felt pads.






9401.79.00 | 0,243 m³ | 12,00 kg

Art. nr.	Frame in steel tube	Seat in beech
SD3484	chromed	natural or black
SD3486	painted white	natural
SD3486	painted black	black



Frame in steel tube

Seat in polypropylene

Seat in beech

-  chromed
-  white 5110
-  black 5140

-  white 1735 C
-  black 1763 C
-  coral red 1490 C
-  dark green 1557 C
-  beige 1733 C
-  brown 1479 C
-  pink 1629 C

-  natural 7010
-  black 7065



A swivel version is also available for contract projects.

Test Troy with seat in polypropylene

Back impact test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Seat impact test EN 16139:2013, L2
Tested and classified by MPA Stuttgart in die Klasse P-b nach DIN 66084
Information for use EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Stability EN 1022:2005
Vertical load on back rest EN 16139:2013, L2

Test Troy with seat in beech


Back impact test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Seat impact test EN 16139:2013, L2
Vertical load on back rest EN 16139:2013, L2
Information for use EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Stability EN 1022:2005

Troy, 4 star

Design Marcel Wanders, 2013/2014

Chair on 4 star base with front seat covered.

Frame in steel tube chromed or painted in polyester powder. Seat in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat) or in leather. Complete with felt pads.










9401.79.00

0,243 m³

13,00 kg



Art. nr.	Frame in steel tube	Seat	Front seat covered
SD4025	chromed	polypropylene	fabric
SD4027	chromed	polypropylene	leather
SD4026	painted white or black	polypropylene	fabric
SD4028	painted white or black	polypropylene	leather
SD4140	chromed	beech natural or black	fabric
SD4143	chromed	beech natural or black	leather
SD4142	painted white or black	beech natural or black	fabric
SD4144	painted white or black	beech natural or black	leather

Frame in steel tube	Seat in polypropylene	Seat in beech	Fabric	Leather
 chromed	 white 1735 C	 natural 7010	Kvadrat Divina 3 Kvadrat Divina MD	Boxland 7150/ black
 white 5110	 black 1763 C	 black 7065	Kvadrat Divina Melange Kvadrat Steelcut Kvadrat Steelcut Trio	
 black 5140			Kvadrat Hero Kvadrat Vidar	



A swivel version is also available for contract projects.



Information on customer's own material from p.397




Troy, 4 star

Design Marcel Wanders, 2013/2014

Chair on 4 star base with seat fully covered.

Frame in steel tube chromed o painted poliestere. Seat in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat "Divina MD" and "Divina Mélange"). Complete with felt pads.




9401.79.00 | 0,243 m³ | 12,00 kg



Art. nr.	Frame in steel tube	Seat covered
SD3335	chromed	fabric
SD3336	painted white or black	fabric

Chair on 4 star base with seat in polycarbonate.




Frame in steel tube chromed. Pattern visible from the reverse of seat. Complete with felt pads.



9401.79.00 | 0,243 m³ | 12,00 kg

Art. nr.	Frame in steel tube	Seat
SD1333	chromed	polycarbonate



Frame in steel tube

-  chromed
-  white 5110
-  black 5140

Fabric

Kvadrat Divina 3
Kvadrat Divina MD
Kvadrat Divina Melange
Kvadrat Steelcut
Kvadrat Steelcut Trio
Kvadrat Hero
Kvadrat Vidar

Seat in polycarbonate

-  white 1735 C (front)
-  clear 2540 TR with pattern (reverse)



A swivel version is also available for contract projects.

Test Troy with seat upholstered

Carico statico Legs anteriori EN 16139:2013 L2
Carico statico sedile-schienale EN 16139:2013, L2
Fatica front anteriore sedile EN 16139:2013, L2
Requisiti generali di sicurezza EN 16139:2013, L2
Stabilità EN 1022:2005
Urto sullo schienale EN 16139:2013, L2
Carico statico Legs laterali EN 16139:2013, L2
Carico statico verticale schienale EN 16139:2013 L2
Istruzioni per l'uso EN 16139:2013 L2
Resistenza a fatica sedile-schienale EN 16139:2013, L2
Urto sul sedile EN 16139:2013, L2

Test Troy with seat in polycarbonate

Carico statico Legs anteriori EN 16139:2013 L2
Carico statico sedile-schienale EN 16139:2013, L2
Fatica front anteriore sedile EN 16139:2013, L2
Requisiti generali di sicurezza EN 16139:2013, L2
Stabilità EN 1022:2005
Urto sullo schienale EN 16139:2013, L2
Carico statico Legs laterali EN 16139:2013, L2
Carico statico verticale schienale EN 16139:2013 L2
Istruzioni per l'uso EN 16139:2013 L2
Resistenza a fatica sedile-schienale EN 16139:2013, L2
Urto sul sedile EN 16139:2013, L2




Information on customer's own material from p.397

Troy, 4 star

Design Marcel Wanders, 2013/2014

Chair on 4 star base with arms and seat in polypropylene.

Frame in steel tube chromed or cataphoretically-treated and painted in polyester powder. Complete with felt pads.



9401.79.00 | 0,349 m³ | 13,00 kg




Art. nr.	Frame in steel tube	Seat in polypropylene
SD3340	chromed	colours
SD3342	painted white or black	colours



Chair on 4 star base with arms and seat in beech plywood.

Frame in steel tube chromed or painted in polyester powder. Complete with felt pads.



9401.79.00 | 0,349 m³ | 13,00 kg



Art. nr.	Frame in steel tube	Seat in beech
SD3494	chromed	natural or black
SD3496	painted white	natural
SD3496	painted black	black



Frame in steel tube

-  chromed
-  white 5110
-  black 5140

Seat in polypropylene

-  white 1735 C
-  black 1763 C
-  coral red 1490 C
-  dark green 1557 C
-  beige 1733 C
-  brown 1479 C
-  pink 1629 C

Seat in beech

-  natural 7010
-  black 7065



A swivel version is also available for contract projects.

Test Troy with seat in polypropylene

Back impact test EN 16139:2013, L2
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Seat impact test EN 16139:2013, L2
 Tested and classified by MPA Stuttgart in die Klasse P-b nach DIN 66084
 Information for use EN 16139:2013, L2
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Stability EN 1022:2005
 Vertical load on back rest EN 16139:2013, L2

Test Troy with seat in beech


Back impact test EN 16139:2013, L2
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Seat impact test EN 16139:2013, L2
 Vertical load on back rest EN 16139:2013, L2
 Information for use EN 16139:2013, L2
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Stability EN 1022:2005

Troy, 4 star

Design Marcel Wanders, 2013/2014

Chair on 4 star base with arms and front seat covered.

Frame in steel tube chromed or painted in polyester powder. Seat and arms in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat) or in leather. Complete with felt pads.



9401.79.00




0,349 m³

14,00 kg





Art. nr.	Frame in steel tube	Seat	Front seat covered
SD4035	chromed	polypropylene	fabric
SD4037	chromed	polypropylene	leather
SD4036	painted white or black	polypropylene	fabric
SD4038	painted white or black	polypropylene	leather
SD4150	chromed	beech natural or black	fabric
SD4153	chromed	beech natural or black	leather
SD4152	painted white or black	beech natural or black	fabric
SD4154	painted white or black	beech natural or black	leather



Frame in steel tube

-  chromed
-  white 5110
-  black 5140

Seat in polypropylene

-  white 1735 C
-  black 1763 C

Seat in beech

-  natural 7010
-  black 7065

Fabric

Kvadrat Divina 3
Kvadrat Divina MD
Kvadrat Divina Melange
Kvadrat Steelcut
Kvadrat Steelcut Trio
Kvadrat Hero
Kvadrat Vidar

Leather

Boxland 7150/
black



A swivel version is also available for contract projects.



Information on customer's own material from p.397




Troy, 4 star

Design Marcel Wanders, 2013/2014

Chair on 4 star base with arms and seat fully covered.

Frame in steel tube chromed or painted in polyester powder. Seat and arms in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat "Divina MD" and "Divina Mélange"). Complete with felt pads.




9401.79.00 | 0,349 m³ | 14,00 kg



Art. nr.	Frame in steel tube	Seat covered
SD3345	chromed	fabric
SD3346	painted white or black	fabric

Chair on 4 star base with arms and seat in polycarbonate.

Frame in steel tube chromed. Pattern visible from the reverse of seat. Complete with felt pads.






9401.79.00 | 0,349 m³ | 13,00 kg



Art. nr.	Frame in steel tube	Seat
SD1343	chromed	polycarbonate



Frame in steel tube

-  chromed
-  white 5110
-  black 5140

Fabric

Kvadrat Divina 3
Kvadrat Divina MD
Kvadrat Divina Melange
Kvadrat Steelcut
Kvadrat Steelcut Trio
Kvadrat Hero
Kvadrat Vidar

Seat in polycarbonate

-  white 1735 C (front)
-  clear 2540 TR with pattern (reverse)



A swivel version is also available for contract projects.

Test Troy with seat upholstered

Back impact test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Seat impact test EN 16139:2013, L2
Vertical load on back rest EN 16139:2013, L2
Information for use EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Stability EN 1022:2005

Test Troy with seat in polycarbonate

Back impact test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Seat impact test EN 16139:2013, L2
Vertical load on back rest EN 16139:2013, L2
Information for use EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Stability EN 1022:2005



Information on customer's own material from p.360